
In the Claims:

Please enter the following amended claims in the application.

Claims 1-10 (Canceled)

Claim 11 (Currently Amended): [[An]] A method for improving the cleaning performance of an aqueous, liquid, laundry detergent composition comprising a hydroxy mixed other and from about 25 to 75% by weight of water, the detergent composition comprising: water, cosurfactants, typical auxiliaries and additives, wherein the cleaning performance is improved by adding to the detergent composition from about 1 to 35% by weight of a hydroxy mixed ether of the formula:



wherein R¹ is a linear or branched alkyl group containing 2 to 18 carbon atoms, R² is hydrogen or a linear or branched alkyl group containing from 2 to 18 carbon atoms, R³ is hydrogen or methyl, R⁴ is a linear or branched alkyl or alkenyl group containing from 1 to 22 carbon atoms, n is a number from 1 to 50 and, wherein, the total number of carbon atoms in R¹ and R² is at least 6 and, wherein, the percent by weight is based on the total weight of the detergent composition and the hydroxy mixed ether.

Claim 12 (Currently Amended): The semposition method of claim 11 wherein the hydroxy mixed ether corresponds to comprises a compound of the formula [[(I)]]:

OH

R1CH-CHR2O(CH2CHR3O),R4

(I)

wherein R¹ is a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R² is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R³ is hydrogen or methyl, R⁴ is a linear or branched alkyl or alkenyl group containing from [[1]]6 to about [[22]]18 carbon atoms and n is a number from [[1]]2 to about [[50]]25, and wherein the total number of carbon atoms in the substituents R¹ and R² is at least 6.

Claim 13 (Currently Amended): The composition method of claim 11 wherein the hydroxy mixed ether is present in the composition in an amount of from about [[1]]5 to [[60]]15% by weight, based on the weight of the composition.

Claim 14 (Currently Amended): The composition <u>method</u> of claim 11 wherein the hydroxy mixed ether is present in the composition in an amount of from about 10 to 15% by weight, based on the weight of the composition.

Claim 15 (Currently Amended): The composition method of claim 11 further comprising a, wherein, the co-surfactant component comprises at least one member selected from the group consisting of an anionic surfactants, a nonionic surfactants, a cationic surfactants, an amphoteric surfactants, a and zwitterionic surfactants[[,]] and mixtures thereof.

Claim 16 (Currently Amended): The composition method of claim 15 wherein the cosurfactant component is present in the composition comprises nonionic surfactants and anionic surfactants in an amount of from about 1 to 40% by weight, based on the weight of

From-COGNIS CORP., PATENT DEPT.

the composition.

Claim 17 (Currently Amended): A process for enhancing cleaning performance of an aqueous laundry-detergent composition-comprising-adding a hydroxy-mixed ether to the composition The method of claim 11 wherein the liquid detergent composition comprises: at least one member selected from the group consisting of builders, polymers, redeposition inhibitors, optical brighteners, hydrotropes, perfumes and bleaching agents.

Claim 18 (Currently Amended): The precess method of claim [[17]] 11 wherein the hydroxy mixed ether corresponds to comprises a hydroxy mixed ether of the formula [[(I)]]:

OH R1CH-CHR2O(CH2CHR3O)nR4 **(I)**

wherein R1 is a linear or branched alkyl group containing from about [[2]]10 to [[18]]16 carbon atoms, R2 is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R3 is hydrogen or methyl, R4 is a linear or branched alkyl or alkenyl group containing from [[1]]8 to about [[22]]18 carbon atoms and n is a number from 1 to about 50, and wherein the total number of carbon atoms in the substituents R^1 and R^2 is at least 6.

Claim 19 (Currently Amended): The process method of claim [[17]]11 wherein the hydroxy mixed ether is present in the composition in an amount of from about 1 to 60% by weight, based on the weight of the composition (I) comprises from 1-10 propoxy groups.

Claim 20 (Currently Amended): The precess method of claim [[17]]19 wherein the hydroxy mixed ether is present in the composition in an amount of from about [[10]]1 to 15% by

weight, based on the weight of the composition.

Claim 21 (Currently Amended): The precess method of claim 17 wherein the composition further comprises [[a]] at least one co-surfactant component selected from the group consisting of en anionic surfactants, [[a]] nonionic surfactants, [[a]] cationic surfactants, an amphoteric surfactants, [[a]] and zwitterionic surfactants[[,]] and mixtures thereof.

Claim 22 (Currently Amended): The precess method of claim 21 wherein the co-surfactant component is present in the composition in an amount of from about 1 to 40% by weight, based on the weight of the composition.

Claim 23 (Currently Amended): A process for cleaning textiles comprising contacting the textiles with an aqueous, <u>liquid</u>, laundry detergent <u>composition</u> containing; a hydroxy mixed ether corresponding to of the formula [[(I)]]:

OH $| \\ R^1CH-CHR^2O(CH_2CHR^3O)_nR^4$ (I)

wherein R¹ is a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R² is hydrogen or a linear or branched alkyl group containing from about 2 to 18 carbon atoms, R³ is hydrogen or methyl, R⁴ is a linear or branched alkyl or alkenyl group containing from 1 to about 22 carbon atoms and n is a number from 1 to about 50, and wherein the total number of carbon atoms in the substituents R¹ and R² is at least 6, co-surfactants, additives and auxiliaries.